

Deployit File Plugin Manual

Version 3.7.2

Table of Contents

Table of Contents	2
Preface	3
Overview	3
Features	3
Requirements	3
Usage in Deployment Packages	3
Using the deployables and deployed	3
Deployable vs. Container Table	3
Deployed Actions Table	4
CI Reference	4
Configuration Item Overview	4
Deployable Configuration Items	4
Deployed Configuration Items	4
Topology Configuration Items	4
Virtual Deployed Configuration Items	5
Virtual Topology Configuration Items	5
Configuration Item Details	5
file.Archive	5
file.DeployedArchive	6
file.DeployedArtifactOnHost	7
file.DeployedFile	8
file.DeployedFolder	8
file.File	9
file.Folder	10
overthere.CifsHost	11
overthere.Host	13
overthere.Jumpstation	14
overthere.LocalHost	15
overthere.SshHost	16
overthere.SshJumpstation	18

Preface

This document describes the functionality provided by the File Plugin.

Refer to the *Deployit Reference Manual* for background information on Deployit and deployment concepts.

Overview

In many cases, an application depends on external resources for its configuration. The application accesses these resources from a predefined location or using a predefined mechanism. In the simplest of forms, a resource can be described as a file, an archive or a folder (collection of files). The File Plugin enables the definition of such resources in a deployment package and subsequently managing them on a target host. The resources can contain placeholders that the plugin will replace when targeting to the specific host, thus allowing resources to be defined independent of their environment.

Features

- Deploy, upgrade, and undeploy of a file based resource on a [Host](#).
 - [File](#)
 - [Folder](#)
 - [Archive](#)

Requirements

This plugin requires:

- **Deployit:** version 3.5+

Usage in Deployment Packages

Please refer to *Packaging Manual* for more details about the DAR packaging format.

Sample DAR MANIFEST.MF entries defining a file, folder and archive resource

Manifest-Version: 1.0
Deployit-Package-Format-Version: 1.3
CI-Application: FilePluginSample
CI-Version: 1.0
Name: sampleFile.txt
CI-Name: sampleFile
CI-Type: file.File
Name: sampleArchive.zip
CI-Name: sampleArchive
CI-Type: file.Archive
Name: sampleFolder
CI-Name: sampleFolder
CI-Type: file.Folder

Using the deployables and deployed

Deployable vs. Container Table

The following table describes which deployable / container combinations are possible. Note that the CIs can only be targeted to containers derived from [Host](#).

Deployables	Containers	Generated Deployed
file.File file.Archive	overthere.Host	file.DeployedFile file.DeployedArchive
file.Folder	overthere.Host	file.DeployedFolder

Deployed Actions Table

The following table describes the effect a deployed has on its container.

Deployed	Create	Destroy	Modify
file.DeployedFile file.DeployedArchive	<ul style="list-style-type: none"> Create target path on host, if needed Copy file to target path on host 	<ul style="list-style-type: none"> Delete file from host 	<ul style="list-style-type: none"> Delete old file from host Copy modified file to target path on host
file.DeployedFolder	<ul style="list-style-type: none"> Create target folder on host, if needed Copy folder content to target folder on host 	<ul style="list-style-type: none"> Delete folder content from host If folder is not a shared folder, the folder itself is deleted from host 	<ul style="list-style-type: none"> Perform actions as described by <i>Destroy</i> for old folder Perform actions as described by <i>Create</i> for modified folder

CI Reference

Configuration Item Overview

Deployable Configuration Items

CI	Description
file.Archive	An archive (zip, jar, tar, etc) artifact that can be packaged in a Deployment Package
file.File	A single file artifact that can be packaged in a Deployment Package
file.Folder	A folder artifact that can be packaged in a Deployment Package

Deployed Configuration Items

CI	Description
file.DeployedArchive	The archive as deployed on the Host
file.DeployedFile	The file as deployed on the Host
file.DeployedFolder	The folder as deployed on the Host

Topology Configuration Items

CI	Description
overthere.CifsHost	A machine that can be connected to using either WinRM or Telnet and can perform file manipulation via the CIFS protocol
overthere.LocalHost	The machine on which the Deployit Server is running on
overthere.SshHost	A machine that can be connected to using ssh
overthere.SshJumpstation	A machine that can be used to create a tunneled connection to the destination host

Virtual Deployed Configuration Items

CI	Description
file.DeployedArtifactOnHost	Abstract deployed that can target any DeployableArtifact to a Host

Virtual Topology Configuration Items

CI	Description
overthere.Host	A machine that runs middleware, on which scripts can be executed, etc
overthere.Jumpstation	Base class for jumpstations

Configuration Item Details

file.Archive

Hierarchy udm.BaseDeployableArchiveArtifact >> udm.BaseDeployableFileArtifact >> udm.BaseDeployableArtifact >> udm.BaseDeployable >> udm.BaseConfigurationItem

Interfaces udm.Taggable, udm.Deployable, udm.SourceArtifact, udm.ArchiveArtifact, udm.Artifact, udm.DeployableArtifact, udm.ConfigurationItem, udm.FileArtifact

An archive (zip, jar, tar, etc) artifact that can be packaged in a Deployment Package

Public Properties**createTargetPath** : **STRING**

Create the targetPath on the host if it does not exist.

excludeFileNamesRegex : **STRING**

Regular expression that matches file names that must be excluded from scanning

placeholders : **SET_OF_STRING**

Placeholders detected in this artifact

scanPlaceholders : **BOOLEAN** = **true**

Scan Placeholders

tags : **SET_OF_STRING**

The tags to map deployables to containers.

targetFileName : **STRING**

Name of the artifact on the host.

targetPath : **STRING**

Path to which artifact must be copied to when being deployed.

targetPathShared : **STRING**

Is the targetPath shared by others on the host. When true, the targetPath is not deleted during undeployment; only the artifacts copied to it.

Hidden Properties**textFileNamesRegex** : **STRING** = **.\.(cfg | conf | config | ini | properties | props | txt | asp | aspx | htm | html | jsf | jsp | xht | xhtml | sql | xml | xsd | xsl | xslt)**

Regular expression that matches file names of text files

file.DeployedArchive

Hierarchy [file.DeployedArtifactOnHost](#) >> udm.BaseDeployedArtifact >> udm.BaseDeployed >> udm.BaseConfigurationItem**Interfaces** udm.Artifact, udm.Deployed, udm.ConfigurationItem, udm.DerivedArtifact

The archive as deployed on the Host.

Public Properties



container : [CI<udm.Container>](#)

The container on which this deployed runs.

targetPath : [STRING](#)

Path to which artifact must be copied to on the host.

createTargetPath : [BOOLEAN](#) = [false](#)

Create the targetPath on the host if it does not exist.

deployable : [CI<udm.Deployable>](#)

The deployable that this deployed is derived from.

placeholders : [MAP_STRING_STRING](#)

A Map containing all the placeholders mapped to their values. Special values are <ignore> or <empty>

targetFileName : [STRING](#)

Name of the artifact on the host.

targetPathShared : [BOOLEAN](#) = [true](#)

Is the targetPath shared by others on the host. When true, the targetPath is not deleted during undeployment; only the artifacts copied to it.

file.DeployedArtifactOnHost

Hierarchy [udm.BaseDeployedArtifact](#) >> [udm.BaseDeployed](#) >> [udm.BaseConfigurationItem](#)

Interfaces [udm.Artifact](#), [udm.Deployed](#), [udm.ConfigurationItem](#), [udm.DerivedArtifact](#)

Abstract deployed that can target any DeployableArtifact to a Host.

Public Properties



container : [CI<udm.Container>](#)

The container on which this deployed runs.

targetPath : [STRING](#)

Path to which artifact must be copied to on the host.

createTargetPath : [BOOLEAN](#) = [false](#)

Create the targetPath on the host if it does not exist.

deployable : [CI<udm.Deployable>](#)

The deployable that this deployed is derived from.

placeholders : [MAP_STRING_STRING](#)

A Map containing all the placeholders mapped to their values. Special values are <ignore> or <empty>

targetFileName : [STRING](#)

Name of the artifact on the host.

targetPathShared : [BOOLEAN](#) = [true](#)


Is the targetPath shared by others on the host. When true, the targetPath is not deleted during undeployment; only the artifacts copied to it.

file.DeployedFile

Hierarchy [file.DeployedArtifactOnHost](#) >> udm.BaseDeployedArtifact >> udm.BaseDeployed >> udm.BaseConfigurationItem

Interfaces udm.Artifact, udm.Deployed, udm.ConfigurationItem, udm.DerivedArtifact

The file as deployed on the Host.

Public Properties	
 container : CI<udm.Container>	
The container on which this deployed runs.	
targetPath : STRING	
Path to which artifact must be copied to on the host.	
createTargetPath : BOOLEAN = false	
Create the targetPath on the host if it does not exist.	
deployable : CI<udm.Deployable>	
The deployable that this deployed is derived from.	
placeholders : MAP_STRING_STRING	
A Map containing all the placeholders mapped to their values. Special values are <ignore> or <empty>	
targetFileName : STRING	
Name of the artifact on the host.	
targetPathShared : BOOLEAN = true	
Is the targetPath shared by others on the host. When true, the targetPath is not deleted during undeployment; only the artifacts copied to it.	

file.DeployedFolder

Hierarchy [file.DeployedArtifactOnHost](#) >> udm.BaseDeployedArtifact >> udm.BaseDeployed >> udm.BaseConfigurationItem

Interfaces udm.Artifact, udm.Deployed, udm.ConfigurationItem, udm.DerivedArtifact

The folder as deployed on the Host.

Public Properties



container : `CI<udm.Container>`

The container on which this deployed runs.

targetPath : `STRING`

Path to which artifact must be copied to on the host.

createTargetPath : `BOOLEAN = false`

Create the targetPath on the host if it does not exist.

deployable : `CI<udm.Deployable>`

The deployable that this deployed is derived from.

placeholders : `MAP_STRING_STRING`

A Map containing all the placeholders mapped to their values. Special values are <ignore> or <empty>

targetPathShared : `BOOLEAN = true`

Is the targetPath shared by others on the host. When true, the targetPath is not deleted during undeployment; only the artifacts copied to it.

Hidden Properties

targetFileName : `STRING`

Not applicable for this type.

file.File

Hierarchy `udm.BaseDeployableFileArtifact >> udm.BaseDeployableArtifact >> udm.BaseDeployable >> udm.BaseConfigurationItem`

Interfaces `udm.Taggable, udm.Deployable, udm.SourceArtifact, udm.Artifact, udm.DeployableArtifact, udm.ConfigurationItem, udm.FileArtifact`

A single file artifact that can be packaged in a Deployment Package

Public Properties**createTargetPath** : **STRING**

Create the targetPath on the host if it does not exist.

excludeFileNamesRegex : **STRING**

Regular expression that matches file names that must be excluded from scanning

placeholders : **SET_OF_STRING**

Placeholders detected in this artifact

scanPlaceholders : **BOOLEAN** = true

Scan Placeholders

tags : **SET_OF_STRING**

The tags to map deployables to containers.

targetFileName : **STRING**

Name of the artifact on the host.

targetPath : **STRING**

Path to which artifact must be copied to when being deployed.

targetPathShared : **STRING**

Is the targetPath shared by others on the host. When true, the targetPath is not deleted during undeployment; only the artifacts copied to it.

Hidden Properties**textFileNamesRegex** : **STRING** = .+\. (cfg | conf | config | ini | properties | props | txt | asp | aspx | htm | html | jsf | jsp | xht | xhtml | sql | xml | xsd | xsl | xslt)

Regular expression that matches file names of text files

file.Folder

Hierarchy udm.BaseDeployableFolderArtifact >> udm.BaseDeployableArtifact >> udm.BaseDeployable >> udm.BaseConfigurationItem**Interfaces** udm.Taggable, udm.Deployable, udm.SourceArtifact, udm.Artifact, udm.DeployableArtifact, udm.ConfigurationItem, udm.FolderArtifact

A folder artifact that can be packaged in a Deployment Package

Public Properties**createTargetPath** : **STRING**

Create the targetPath on the host if it does not exist.

excludeFileNamesRegex : **STRING**

Regular expression that matches file names that must be excluded from scanning

placeholders : **SET_OF_STRING**

Placeholders detected in this artifact

scanPlaceholders : **BOOLEAN** = true

Scan Placeholders

tags : **SET_OF_STRING**

The tags to map deployables to containers.

targetFileName : **STRING**

Name of the artifact on the host.

targetPath : **STRING**

Path to which artifact must be copied to when being deployed.

targetPathShared : **STRING**

Is the targetPath shared by others on the host. When true, the targetPath is not deleted during undeployment; only the artifacts copied to it.

Hidden Properties**textFileNamesRegex** : **STRING** = .+\. (cfg | conf | config | ini | properties | props | txt | asp | aspx | htm | html | jsf | jsp | xht | xhtml | sql | xml | xsd | xsl | xslt)

Regular expression that matches file names of text files

overthere.CifsHost

Hierarchy [overthere.Host](#) >> udm.BaseContainer >> udm.BaseConfigurationItem**Interfaces** udm.Taggable, udm.ConfigurationItem, udm.Container, [overthere.HostContainer](#)

A machine that can be connected to using either WinRM or Telnet and can perform file manipulation via the CIFS protocol.

Public Properties	
address : <code>STRING</code>	
Address of the host	
connectionType : <code>ENUM [TELNET, WINRM_HTTP, WINRM_HTTPS] = TELNET</code>	
Connection Type	
os : <code>ENUM [WINDOWS, UNIX]</code>	
Operating system	
password : <code>STRING</code>	
Password to use for authentication	
username : <code>STRING</code>	
Username to connect with	
cifsPort : <code>INTEGER = 445</code>	
Port on which the CIFS server runs	
deploymentGroup : <code>INTEGER</code>	
The deployment group of this container.	
jumpstation : <code>CI<overthere.Jumpstation></code>	
If this host is not directly reachable, specify a jumpstation here which can be used to reach this host.	
port : <code>INTEGER</code>	
Port on which the Telnet or WinRM server runs	
tags : <code>SET_OF_STRING</code>	
The tags to map deployables to containers.	
temporaryDirectoryPath : <code>STRING</code>	
Directory into which temporary files are stored. Will be cleaned up when the connection is closed.	

Hidden Properties**connectionTimeoutMillis** : **INTEGER** = 1200000

Connection Timeout Millis

protocol : **STRING** = cifs

Protocol

tmpFileCreationRetries : **INTEGER** = 1000

Tmp File Creation Retries

winrmContext : **STRING** = /wsman

Winrm Context

winrmEnvelopSize : **INTEGER** = 153600

Winrm Envelop Size

winrmLocale : **STRING** = en-US

Winrm Locale

winrmTimeout : **STRING** = PT60.000S

Winrm Timeout

tmpDeleteOnDisconnect : **BOOLEAN** = true

Whether to delete the temporary connection directory when the connection is closed

Control Tasks**checkConnection**

Check connection

overthere.Host

Hierarchy udm.BaseContainer >> udm.BaseConfigurationItem**Interfaces** udm.Tagable, udm.ConfigurationItem, udm.Container, [overthere.HostContainer](#)

A machine that runs middleware, on which scripts can be executed, etc.

Public Properties**os** : **ENUM** [WINDOWS, UNIX]

Operating system

deploymentGroup : **INTEGER**

The deployment group of this container.

jumpstation : **CI**<[overthere.Jumpstation](#)>

If this host is not directly reachable, specify a jumpstation here which can be used to reach this host.

tags : **SET_OF_STRING**

The tags to map deployables to containers.

temporaryDirectoryPath : **STRING**

Directory into which temporary files are stored. Will be cleaned up when the connection is closed.

Hidden Properties**connectionTimeoutMillis** : **INTEGER** = 1200000

Connection Timeout Millis

protocol : **STRING**

Protocol to use when connecting to this host

tmpFileCreationRetries : **INTEGER** = 1000

Tmp File Creation Retries

tmpDeleteOnDisconnect : **BOOLEAN** = true

Whether to delete the temporary connection directory when the connection is closed

Control Tasks**checkConnection**

Check connection

overthere.Jumpstation

Hierarchy [overthere.Host](#) >> udm.BaseContainer >> udm.BaseConfigurationItem**Interfaces** udm.Tagable, udm.ConfigurationItem, udm.Container, [overthere.HostContainer](#)

Base class for jumpstations

Public Properties**deploymentGroup** : **INTEGER**

The deployment group of this container.

jumpstation : **CI**<[overthere.Jumpstation](#)>

If this host is not directly reachable, specify a jumpstation here which can be used to reach this host.

tags : **SET_OF_STRING**

The tags to map deployables to containers.

Hidden Properties**connectionTimeoutMillis** : **INTEGER** = 1200000

Connection Timeout Millis

os : **ENUM** [WINDOWS, UNIX] = UNIX

Os

protocol : **STRING**

Protocol to use when connecting to this host

tmpFileCreationRetries : **INTEGER** = 1000

Tmp File Creation Retries

temporaryDirectoryPath : **STRING**

Temporary Directory Path

tmpDeleteOnDisconnect : **BOOLEAN** = true

Whether to delete the temporary connection directory when the connection is closed

Control Tasks**checkConnection**

Check connection

overthere.LocalHost

Hierarchy [overthere.Host](#) >> udm.BaseContainer >> udm.BaseConfigurationItem**Interfaces** udm.Taggable, udm.ConfigurationItem, udm.Container, [overthere.HostContainer](#)

The machine on which the Deployit Server is running on.

Public Properties**os** : **ENUM** [WINDOWS, UNIX]

Operating system

deploymentGroup : **INTEGER**

The deployment group of this container.

jumpstation : **CI**<[overthere.Jumpstation](#)>

If this host is not directly reachable, specify a jumpstation here which can be used to reach this host.

tags : **SET_OF_STRING**

The tags to map deployables to containers.

temporaryDirectoryPath : **STRING**

Directory into which temporary files are stored. Will be cleaned up when the connection is closed.

Hidden Properties**connectionTimeoutMillis** : INTEGER = 1200000

Connection Timeout Millis

protocol : STRING = local

Protocol

tmpFileCreationRetries : INTEGER = 1000

Tmp File Creation Retries

tmpDeleteOnDisconnect : BOOLEAN = true

Whether to delete the temporary connection directory when the connection is closed

Control Tasks**checkConnection**

Check connection

overthere.SshHost

Hierarchy [overthere.Host](#) >> udm.BaseContainer >> udm.BaseConfigurationItem**Interfaces** udm.Taggable, udm.ConfigurationItem, udm.Container, [overthere.HostContainer](#)

A machine that can be connected to using ssh.

Public Properties	
address : <code>STRING</code>	
Address of the host	
connectionType : <code>ENUM [SFTP, SFTP_CYGWIN, SFTP_WINSSHD, SCP, SUDO, INTERACTIVE_SUDO, TUNNEL] = SFTP</code>	
Type of SSH connection to create	
os : <code>ENUM [WINDOWS, UNIX]</code>	
Operating system	
port : <code>INTEGER = 22</code>	
Port on which the SSH server runs	
username : <code>STRING</code>	
Username to connect with	
deploymentGroup : <code>INTEGER</code>	
The deployment group of this container.	
jumpstation : <code>CI<overthere.Jumpstation></code>	
If this host is not directly reachable, specify a jumpstation here which can be used to reach this host.	
passphrase : <code>STRING</code>	
Optional passphrase for the private key in the private key file	
password : <code>STRING</code>	
Password to use for authentication	
privateKeyFile : <code>STRING</code>	
Private key file to use for authentication	
sudoUsername : <code>STRING</code>	
Username to sudo to when accessing files or executing commands	
tags : <code>SET_OF_STRING</code>	
The tags to map deployables to containers.	
temporaryDirectoryPath : <code>STRING</code>	
Directory into which temporary files are stored. Will be cleaned up when the connection is closed.	

Hidden Properties	
connectionTimeoutMillis	: INTEGER = 1200000
Connection Timeout Millis	
interactiveKeyboardAuthRegex	: STRING = <code>.*Password:[]?</code>
Regular expression to look for in keyboard-interactive authentication before sending the password	
protocol	: STRING = <code>ssh</code>
Protocol	
sudoCommandPrefix	: STRING = <code>sudo -u {0}</code>
Sudo command to prefix to the original command. The placeholder {0} is replaced with the sudoUsername	
sudoPasswordPromptRegex	: STRING = <code>.*[Pp]assword.*:</code>
Regular expression to look for in interactive sudo before sending the password	
tmpFileCreationRetries	: INTEGER = 1000
Tmp File Creation Retries	
allocateDefaultPty	: BOOLEAN = <code>false</code>
If true, a default pty is allocated when executing a command. All sudo implementations require it for interactive sudo, some even require it for normal sudo. Some SSH server implementations (notably the one on AIX 5.3) crash when it is allocated.	
sudoOverrideUmask	: BOOLEAN = <code>false</code>
If true, permissions are explicitly changed with <code>chmod -R go+rX</code> after uploading a file or directory with <code>scp</code> .	
sudoQuoteCommand	: BOOLEAN = <code>false</code>
If true, the original command is quoted when it is prefixed with <code>sudoCommandPrefix</code>	
tmpDeleteOnDisconnect	: BOOLEAN = <code>true</code>
Whether to delete the temporary connection directory when the connection is closed	

Control Tasks
checkConnection
Check connection

overthere.SshJumpstation

Hierarchy [overthere.Jumpstation](#) >> [overthere.Host](#) >> `udm.BaseContainer` >> `udm.BaseConfigurationItem`

Interfaces `udm.Taggable`, `udm.ConfigurationItem`, `udm.Container`, [overthere.HostContainer](#)

A machine that can be used to create a tunneled connection to the destination host.

Public Properties**address** : `STRING`

Address of the host

port : `INTEGER = 22`

Port on which the SSH server runs

username : `STRING`

Username to connect with

deploymentGroup : `INTEGER`

The deployment group of this container.

jumpstation : `CI<overthere.Jumpstation>`

If this host is not directly reachable, specify a jumpstation here which can be used to reach this host.

passphrase : `STRING`

Optional passphrase for the private key in the private key file

password : `STRING`

Password to use for authentication

privateKeyFile : `STRING`

Private key file to use for authentication

tags : `SET_OF_STRING`

The tags to map deployables to containers.

Hidden Properties**connectionTimeoutMillis** : `INTEGER = 1200000`

Connection Timeout Millis

connectionType : `ENUM [SFTP, SFTP_CYGWIN, SFTP_WINSSHD, SCP, SUDO, INTERACTIVE_SUDO, TUNNEL] = TUNNEL`

Connection Type

interactiveKeyboardAuthRegex : `STRING = .*Password:[]?`

Regular expression to look for in keyboard-interactive authentication before sending the password

os : `ENUM [WINDOWS, UNIX] = UNIX`

Os

protocol : `STRING = ssh`

Protocol to use when connecting to this host

tmpFileCreationRetries : `INTEGER = 1000`

Tmp File Creation Retries

temporaryDirectoryPath : `STRING`

Temporary Directory Path

tmpDeleteOnDisconnect : `BOOLEAN = true`

Whether to delete the temporary connection directory when the connection is closed

Control Tasks**checkConnection**

Check connection